



4063 New Castle Ave, Bldg. 4061
 New Castle, DE 19720
 www.keengas.com
 P: (800) Keen-Gas

Publication Date: 08/30/2019	Revision Date: 12/22/2020	Revision No: 1.1
------------------------------	---------------------------	------------------

CERTIFICATE OF CONFORMANCE

Keen Compressed Gas Co. Is Accredited to the ISO/IEC 17025:2017 Testing and Calibration Laboratory Standard. Keen's Quality Management System, Enables Keen to Provide the Highest Level of Testing, Calibration, and Traceability to Meet or Exceed the Minimum Specifications Listed for the Mixed Gas Conformance Requested.

Mixed Gas – HELIUM (He) and ARGON (Ar)

	INDUSTRIAL ^{2,3,4,5}	CERTIFIED MIX ^{3,4,5}	PRIMARY STANARD ^{3,4,5}
Helium Pure Gas Minimum Purity ⁶ :	≥99.99	≥99.99	≥99.99
Argon Pure Gas Minimum Purity ^{1,6} :	≥99.997	≥99.997	≥99.997
Minor Component Specification:	2% – 50% ²	2% - 50% 10 ppm – 1%	2% - 50% 10 ppm – 1%
Minor Component Tolerance:	≤5.0% - 0.5 Absolute >5.0% +/- 10%	+/- 2%	+/- 1%
Moisture:	≤ 15 ppm	≤ 10 ppm	≤ 8 ppm
Dew Point:	-72°F	-76°F	-80°F
CGA Connection:	580	580	580
Lot Label Tracking:	No	Yes	Yes

TECHNICAL			
UN ID:	1956	DOT Classification:	2.2 Non-Flammable Gas
DOT Ship Name:	Compressed Gas, N.O.S (Helium, Argon) or Compressed Gas, N.O.S (Argon, Helium)		
HELIUM		ARGON	
Molecular Weight:	4g/mol	Molecular Weight:	39.95g/mol
Specific Volume:	96.7 ft ³ /lb	Specific Volume:	9.7 ft ³ /lb
CAS NO:	7440-59-7	CAS NO:	7440-37-1

Notes:

- Produced by Air Liquefaction Process Which Includes Trace Quantities of Neon, Helium and Nitrogen
- Component Homogenization Results Excluded from Industrial Conformance Guarantee
- Certificate of Analysis Available Upon Request (Includes Lot Tracking)
- Meets AWS Specification AWS A5.32 (ISO 14175)-I3-HeAr-25
- Meets AWS Specification AWS A5.32 (ISO 14175)-I3-ArHe-(varies 5 to 50)
- Argon Meets MIL-A-18544C Type I, Helium Meets MIL-PRF-27407G Type I, Grade A